

4000 & 1000/2000 SERIES



CLEARVIEW

PATIO DOORS

Clearly The Right Choice

1000/2000 Series – Standard Features

Whether you are winterizing your summer cottage, adding a storm to your existing single door, or need a door to a pool room or solarium, the 1000 Series patio storm door is the answer. A summer place may call for our 2000 Series two panel door with a screen, in certain cases you may also add this door if your existing door does not have a screen.



Screen Inserts:
All screen doors are optional.

2000 Series - Trailer Package


Clearview manufactures trailer doors for recreational vehicles and park model homes.

This door comes with a nailing flange which provides a complete and attractive finish.




2000 Series - Three Season Room

1000 SERIES TOP VIEW



2000 SERIES TOP VIEW




4000 Series – Standard Features

For over two decades the 4000 Series four panel thermally-broken patio door continues to be reliable and efficient. Whether for new construction or remodeling the 4000 Series door will not disappoint. The unique design allows for easy cleaning and fully protects the screen. The air space between the panels is proven to be the most effective insulator.

Standard Features:

- Frame is thermally broken with PVC thermal break which reduces condensation.
- High strength 6063-T5 aluminum extrusion prevents warping, twisting and bowing.
- Full perimeter, double weatherstrip reduces water and air infiltration.
- Each panel is equipped with two adjustable steel rollers for easy squaring.
- Panels contain tempered safety glass which can be substituted with a thermal unit.
- Two fixed panels and two operable panels.
- Aluminum screen with fiberglass mesh, and four adjustable rollers.
- Complete with (2) locks with night safety latch and recessed steel keeper.
- Fully reversible - can be assembled to slide left or right or both.




Security Options:

With advancing technology, patio doors are no longer an easy target for break-ins. Security bars, security kick locks, and anti-lift blocks can be used to prevent break-ins.

For more info, please call your local Clearview dealer.

4000 SERIES TOP VIEW



Performance Ratings:

	STD	HP	HP+
Air Infiltration:	A1	A3	A3
Water Infiltration:	B1	B2	B4
Windload Resistance:	C1	C2	C1 (C3)
Ease of Operation:	E3	E3	E3
Forced Entry:	F1	F1	F1
Temperature Index:	140	154	154

4000 and 1000/2000 Series – Features and Options

Features and Options: 4000 Series

Standard Features

- Baked enamel finish
- Heavy duty adjustable plated steel rollers
- Full perimeter double weatherstrip

Options

- Security bar
- Security pin
- Key lock
- Trailer flange
- Heavy duty aluminum screen mesh
- All panels operating
- Sill extensions
- Two colour doors
- Custom sizes available
- Screen inserts (all screen doors)

Standard Screen Sizes (in.)

(Custom screens available)

30¹/₄ x 78 5' door

36¹/₄ x 78 6' door

48¹/₄ x 78 8' door

Standard Glass Sizes (in.)


27³/₈ x 73⁵/₈ 5' door

33³/₈ x 73⁵/₈ 6' door


45³/₈ x 73⁵/₈ 8' door

Glass Options

- Insulating glass ⁵/₈ O.T.
- Low "E" glass
- Bronze/Grey glass
- V-groove glass
- Grille bars (PVC)




3 x 5 Colonial



3 x 3 Prairie

Colours (colours are approximate, variations may occur, custom colours are available)



White K1285



Clear Anodized



Cream K31029



Chocolate Brown K72204



Light Bronze Metallic K70632



Commercial Brown K70634



Hickory K31202



Flat Black K90212



Sandalwood K30618

1000 Series (Frame depth 2 3/16", no screen)

2000 Series (Frame depth 3 1/8", comes with screen)

4000 Series (Frame depth 5 3/4, comes with screen)

Size	Frame Size (in.)	Exterior View	Rough Opening (in.)
5064	59 ¹ / ₂ x 75 ⁵ / ₈	XO or OX	60 x 76
5068	59 ¹ / ₂ x 79 ⁵ / ₈	XO or OX	60 x 80
6068	71 ¹ / ₂ x 79 ⁵ / ₈	XO or OX	72 x 80
7068	83 ¹ / ₂ x 79 ⁵ / ₈	XO or OX	84 x 80
8068	95 ¹ / ₂ x 79 ⁵ / ₈	XO or OX	96 x 80
9068	105 ⁵ / ₈ x 79 ⁵ / ₈	XOO or OOX	106 x 80
9068	107 ⁷ / ₈ x 79 ⁵ / ₈	O X O	108 ¹ / ₂ x 80
10068	118 ¹ / ₂ x 79 ⁵ / ₈	OXXO	119 x 80
12068	141 ⁵ / ₈ x 79 ⁵ / ₈	XOO or OOX	142 ¹ / ₄ x 80
12068	143 ⁷ / ₈ x 79 ⁵ / ₈	OXO	144 ¹ / ₂ x 80
12068	142 ¹ / ₂ x 79 ⁵ / ₈	OXXO	143 x 80

Configuration: X = Operator, O = Fixed



Standard Handle and Lock Set



Security Options:
Security Pin or
Security Bar



Notice: Due to Clearview's continuous product development, specifications are subject to change without notice. Please contact an authorized dealer or Clearview Industries Ltd. to confirm the most recent specifications.

Authorized Distributor:

10 Year Limited Warranty on Insulating Glass Units.

10 Year Limited Warranty on Vinyl Components.

2 Year Limited Warranty on Hardware.

CLEARVIEW

Member: BILD, CRVA, NFRC

www.clearview.on.ca

e-mail: sales@clearview.on.ca